


MENABO



free time on the move




ARIEM

IT	Istruzioni di montaggio	ET	Paigaldusjuhend	PT	Instruções de Montagem
EN	Fitting instructions	FI	Asennusohje	RO	Instrucțiuni de montare
DE	Montageanleitung	HR	Uputa za sastavljanje	RU	Инструкции по установке
FR	Instructions de montage	HU	A felszerelés módja	SK	Návod na montáž
ES	Instrucciones de montaje	LT	Pritvirtinimo instrukcijos	SL	Navodila za pritrjevanje
BG	инструкции за сглобяване	LV	Stiprināšanas instrukcija	SV	Monteringsanvisning
CS	Návod na montáž	NL	Montagehandleiding	TK	Uydurma talimat
DA	Monteringsvejledning	NO	Monteringsanvisning	ZH	裝修指導
EL	Οδηγίες συναρμολόγησης	PL	Instrukcja montażu	AR	كتيب التعليمات

IT) Componenti (Inclusi) | EN) Components (Included) | FR) Composants (Comprises)
DE) Die Komponenten (im Lieferumfang enthalten) | ES) Componentes (Incluido)




x4




x1

IT) Ricambi (A Richiesta) | EN) Spare Parts (Made to order) | DE) E Teile (auf Anfrage)
FR) Pièces de rechange (Sur commande) | ES) Piezas de recambio (Previa solicitud)




x2

700007900000



x1

700053100000




x1

700025000000




x4

700031100000




x1

700053000000



x4


000084800000




x1

700042100000

1





Raised rails




Flush rails



min 70cm / 27.5"



2





A1	→	B1	= 25%
A2	→	B2	= 50%
A3	→	B3	= 75%
A4	→	B4	= 100%





3



x4




4

x2





Ariem	3,2 kg / 7.1lb	MAX 75kg / 165 lb
Ariem XL	3,4 kg / 7.5lb	




MAX LOAD : 75kg / 165lb

$$\text{A} + \text{B} \leq \text{MAX LOAD}$$

The equation shows a roof rack (A) plus a load (B) is less than or equal to the maximum load.

DYNAMIC










MAX PAYLOAD



STATIC








2,5x MAX PAYLOAD



90 km/h

56 mph







F.lli Menabò S.r.l.
Via 8 Marzo, 3 -Z.I. Corte Tegge
42025 Cavriago (RE) ITALY
customercare@flli-menabo.it
www.menabocaraccessories.com



500047800000
25/03/2026